



# Home Appliances





1L



2L



2.2L



2.5L



Isabella



SILK - Horizontal Round Type



SUPREME



## Fast and easy boiling

Powerful water kettle,  
easy to clean heating element.  
Flat heating element for fast boiling and easy to clean.



Product Dimension >>  
226Lx 162W x 242H mm

Gift Box Dimension >>  
200\*190\*240mm

Container Qty >>  
2896 pcs/20'GP  
5800 pcs/40'GP  
6904 pcs/40'HQ



### Light indicates when the kettle is switched on

Elegant red light incorporated in the on/off switch indicates when the kettle is on.



### Boil up to 1 liter water



### Easy lid and spout filling

The kettle can be filled via the spout or by opening the lid.



### Cord winder for easy storage

The cord can be wrapped around the base, so that the kettle is easy to place in your kitchen.



### Flat heating element for fast boiling and easy cleaning

The stainless steel concealed element ensures fast boiling and easy cleaning.



### Anti-calc filter for a clean cup of water

Anti-calc filter for a clean cup of water and a cleaner kettle.



### Cordless 360° pirouette base for easy lifting and placing



### Easy to read water level indicators on both sides.

Easy to read water level indicators on both sides for left and right handed use.



### Four-way safety system against short circuit and boil-dry, with auto switch off when boiled or when lifted from the base.



### Power consumption :

1500 Watts



## Fast and easy boiling

Powerful water kettle,  
easy to clean heating element.  
Flat heating element for fast boiling and easy to clean.



Product Dimension ▶▶  
226Lx 162W x 242H mm

Gift Box Dimension ▶▶  
200\*190\*240mm

Container Qty ▶▶  
2896 pcs/20'GP  
5800 pcs/40'GP  
6904 pcs/40'HQ



**Light indicates when the kettle is switched on**

Elegant red light incorporated in the on/off switch indicates when the kettle is on.



**Boil up to 2 liter water**



**Easy lid and spout filling**

The kettle can be filled via the spout or by opening the lid.



**Cord winder for easy storage**

The cord can be wrapped around the base, so that the kettle is easy to place in your kitchen.



**Flat heating element for fast boiling and easy cleaning**

The stainless steel concealed element ensures fast boiling and easy cleaning.



**Anti-calc filter for a clean cup of water**

Anti-calc filter for a clean cup of water and a cleaner kettle.



**Cordless 360° pirouette base for easy lifting and placing**



**Easy to read water level indicators on both sides.**

Easy to read water level indicators on both sides for left and right handed use.



**Four-way safety system against short circuit and boil-dry, with auto switch off when boiled or when lifted from the base.**



**Power consumption :**

1800 Watts



# Fast and easy boiling

Powerful water kettle, easy to clean heating element.  
Flat heating element for fast boiling and easy to clean.



Product Dimension >>  
225Lx 162W x 262H mm

Gift Box Dimension >>  
200\*180\*255mm

Container Qty >>  
3024 pcs/20'GP  
6064 pcs/40'GP  
6960 pcs/40'HQ



**Light indicates when the kettle is switched on**

Elegant red light incorporated in the on/off switch indicates when the kettle is on.



**Boil up to 2.2 liter water**



**Easy lid and spout filling**

The kettle can be filled via the spout or by opening the lid.



**Cord winder for easy storage**

The cord can be wrapped around the base, so that the kettle is easy to place in your kitchen.



**Flat heating element for fast boiling and easy cleaning**

The stainless steel concealed element ensures fast boiling and easy cleaning.



**Anti-calc filter for a clean cup of water**

Anti-calc filter for a clean cup of water and a cleaner kettle.



**Cordless 360° pirouette base for easy lifting and placing**



**Easy to read water level indicators on both sides.**

Easy to read water level indicators on both sides for left and right handed use.



**Four-way safety system against short circuit and boil-dry, with auto switch off when boiled or when lifted from the base.**



**Power consumption :**

1800 Watts





## Fast and easy boiling

Powerful water kettle, easy to clean heating element.  
Flat heating element for fast boiling and easy to clean.



Product Dimension >>  
245L x 180W x 260H mm

Gift Box Dimension >>  
230\*195\*255mm

Container Qty >>  
2336 pcs/20'GP  
4912 pcs/40'GP  
5704 pcs/40'HQ



### Light indicates when the kettle is switched on

Elegant red light incorporated in the on/off switch indicates when the kettle is on.



### Boil up to 2.5 liter water



### Easy lid and spout filling

The kettle can be filled via the spout or by opening the lid.



### Cord winder for easy storage

The cord can be wrapped around the base, so that the kettle is easy to place in your kitchen.



### Flat heating element for fast boiling and easy cleaning

The stainless steel concealed element ensures fast boiling and easy cleaning.



### Anti-calc filter for a clean cup of water

Anti-calc filter for a clean cup of water and a cleaner kettle.



### Cordless 360° pirouette base for easy lifting and placing



### Easy to read water level indicators on both sides.

Easy to read water level indicators on both sides for left and right handed use.



### Four-way safety system against short circuit and boil-dry, with auto switch off when boiled or when lifted from the base.



### Power consumption :

2000 Watts

A woman with long brown hair, wearing a white bathrobe, is smiling and holding a yellow rubber duck. She is leaning over a white bathtub where a young child with blonde hair is sitting. The child is also smiling and has soap suds on their head and shoulders. The background shows a bathroom with a sink, mirror, and decorative vases on a shelf.

Feel the warmth in life .....  
SMP electric storage water heaters



## Electric storage water heaters

Inner tank with 4 layers features:

- Enamel with glass lining layer
- Abrasting layer which prevents rusting
- Steel layer with SPCC sheet
- Cold rolled sheet ultra thick superior cold rolled steel

Ideal for



Kitchen



Bathroom



Shower



Wash Basin





## Isabella



### Specification:

Tank Capacity	15L
Outer Body material	Sprayed Steel
Annode Rode	Magnesium Anode
Element Glass coated/ Incoloy	Heating element, stainless steel incoloy 310S
Power consumption	1500W
Pressure Valve	yes
Multi function safety valve	yes
High pressure Thermostate Control	75
Water Proof Degree	IPX4
Preset thermal Cutout	yes
High pressure in Mpa	0.8Mpa



## SILK - Vertical Round Type

### Specification:

Tank Capacity	15L / 20L
Outer Body material	ABS
Anode Rod	Magnesium Anode
Element	Glass coated/ Incoly
Heating element	stainless steel seamless heating tube
Power consumption	1500W/2000W
Star Rating	3
Pressure Valve	yes
Multi function safety valve	yes
High pressure Thermostate Control	98
Water Proof Degree	IPX4
Preset thermal Cutout	yes
High pressure in Mpa	0.8Mpa





## SILK - Horizontal Round Type



### Specification:

Tank Capacity	15L / 20L
Outer Body material	ABS
Annode Rode	Magnesium Anode
Element Glass coated/ Inloy	Heating element is stainless steel seamless heating tube
Power consumption	1500W/2000W
Star Rating	3
Pressure Valve	yes
Multi function safety valve	yes
High pressure Thermostate Control	98
Water Proof Degree	IPX4
Preset thermal Cutout	yes
High pressure in Mpa	0.8Mpa



## Classic - Square Type

### Specification:

Tank Capacity	15L
Outer Body material	ABS
Annode Rode	Magnesium Anode
Element Glass coated/ Incoly	Heating element is stainless steel seamless heating tube
Power consumption	1500W/2000W
Star Rating	3
Pressure Valve	yes
Multi function safety valve	yes
High pressure Thermostate Control	98
Water Proof Degree	IPX4
Preset thermal Cutout	yes
High pressure in Mpa	0.8Mpa





## SUMO



### Specification:

Tank Capacity	22L
Outer Body material	ABS
Annode Rode	Magnesium Anode
Element Glass coated/ Incoly	Copper heat pipe/Incoloy is available
ELCB Attached or not ?	yes
Power consumption	2000W
Star Rating	4
Pressure Valve	yes
Multi function safety valve	yes
High pressure Thermostate Control	90
Water Proof Degree	IPX4
Preset thermal Cutout	yes
High pressure in Mpa	0.8Mpa





## SUPREME

### Specification:

Tank Capacity	15.3L
Outer Body material	ABS
Annode Rode	Magnesium Anode
Element Glass coated/ Incoloy	Incoloy with enamel coated
ELCB Attached or not ?	yes
Power consumption	1500W/2000W
Star Rating	4
Pressure Valve	yes
Multi function safety valve	yes
High pressure Thermostate Control	yes
Water Proof Degree	IPX4
Preset thermal Cutout	yes
High pressure in Mpa	0.8Mpa





AA8PMC



AA07RC



AA10RC



AA20RC



AA48PMC



AA60PMC

## **SMP International Limited**

301 Kamon Building, 176A Queen's Road, Central Hong Kong

T: (852) 9386 3758

E: [sales@smp-hyundai.com](mailto:sales@smp-hyundai.com)

[www.smp-hyundai.com](http://www.smp-hyundai.com)



### **China**

#### **SMP International Ltd**

Room 1110, Kerry Center  
No. 2008 Renmin South Road, Luohu,  
Shenzhen, China

T: 86-755 33118226

F: 86-755-26050265

### **Dubai**

#### **SMP Dubai**

Ali Hassan Ali Building, 4F,  
Flat 47 Abu Shagara,  
Sharjah , UAE

Contact: Mr Lalit Sharma

M: (971) 5046 99218/5510 59370

E: [dubai@smp-hyundai.com](mailto:dubai@smp-hyundai.com)

### **India**

#### **SMP India**

C-83 Ashok Vihar, Alwar-301001  
Rajasthan, India

Toll Free No: 18002704344

E: [sales@smp-hyundai.com](mailto:sales@smp-hyundai.com)

[www.smp-hyundai.com](http://www.smp-hyundai.com)

### **Australia**

#### **SMP Australia**

10/1, Bradley Place Liberty Grove,  
NSW-2138 Sydney, Australia

Contact: Mr Manmohan Sharma

T: (61) 4 08612118

E: [manmohan@smp-hyundai.com](mailto:manmohan@smp-hyundai.com)

### **Chile**

#### **SMP Chile**

Mac-Iver 484 of 54 Santiago Centro.  
Santiago, Chile

Contact: Mr Rajat Sharma

T: (56)-2-6339213

E: [rajat@smp-hyundai.com](mailto:rajat@smp-hyundai.com)

### **New Zealand**

#### **SMP NZ**

280 Great South Road, Green Lane  
Auckland 1051  
New Zealand

Contact: Mr Manmohan Sharma

E: [smpnz@smp-hyundai.com](mailto:smpnz@smp-hyundai.com)

### **Peru**

#### **SMP Peru**

Av. Pedro Venturo 218. Int. 246.  
Santiago de Surco Lima-Peru

Contact: Mr Gustavo Raez

T: (511) 2684287

M: (51) 964238491

E: [peru@smp-hyundai.com](mailto:peru@smp-hyundai.com)